




Manual, radial-arm, crosscut saw

### **BEST 960**

For straight (90°) miter (45° left) cross cutting, and bevel cutting at 45° left and right, of wooden-based panels and solid wood boards up to 3mt. For furniture manufacturing and joinery.









### **VERSATILE**

Swivelling arm (  $0^{\circ}$  to  $45^{\circ}$  left and right) and tilting cutting-head (stop and lock at  $45^{\circ}$  left) allow many different cutting operations for the greatest versatility.

### **SAFE**

Sound-insulated, full-cover blade guard with safety microswitch, anti-kickback, well-dimensioned working bench, emergency button definitively contribute to the operator safety during the cutting process.

### **SOLID AND ACCURATE**

Rugged steel construction, arm and base made of cast iron.

Interchangeable and tempered-steel made guides. Cutting head sliding on 8 ball bearings for a smooth, precise and effortless carriage mouvement.

Small footprint: well suited to small workshops

Easy to use

Versatile

**Useful complement to panel saws** 



### **BEST 960**

# **SERVICE**

Worldwide after-sale service.

Real-time, on-line remote assistance through a dedicated augmented reality APP. Spare-parts availability for up to 10 years, shipment within 24 hrs

## **DATA SHEET**

Max. cutting height:	125 mm
	125 111111
Max. cutting width	865 x 20 h mm
Mincutting width	770 x 125 h mm
Max.length of workpiece	unlimited
Max. cutting width for ripping	
Height of blade at 45° from the table	0 - 80 mm
Min. and Max. cutting width at 45° (right)	565 - 615 mm
Min. and Max. cutting width at 45° (left)	350 - 425 mm
Height of blade from working bench	0 - 45 mm
Blade diameter	400 mm
Blade bore diameter	30 mm
Motor	HP/KW 4/3 RPM 2800
Working bench dimensions	1970x1285 x 25 mm
Diameter of dust collection nozzle on blade guard	60 mm
Diameter of dust collection nozzle on rear hood	100 mm ( n.2)
Overall dimensions of full- assembled machine and net weight	1970 x 1740 x 1720 mm / Kg 298
Package dimensions and gross weight	1500 x 1000 x 770mm peso 311 Kg
Dimensions and gross weight half assembled machine	1700 x 1250 x 1190 mm / 368 Kg



# HEAVY-DUTY PROFESSIONAL

Well-dimensioned machine, best suited to cut heavy wooden boards and panels. **Max. cutting width up to 865 mm** 

### **CUTTING HEIGHT**

CUTTING 4



**WIDTH** 

MAX JUNIOR 640 **BIG 800** BEST 960 **BEST 1250** 90° **45°** ∟ **45°** R **45°** ∟ **45°** ℝ 45° **45°** R 90° **45°** ∟ **45°** R mm mm mm mm mm mm 450 125 610 240 770 350 1060 456 1066 616 464 624 1074 474 634 1084 95 Ø 400 mm mm 80 486 646 1096 65 501 661 821 520 680 840 1130 35 545 705 190 380 800 20

MIN mm MAX

**SERVICE** +39 0571 635 433

service@maggi-technology.com

#### SALES

+39 0571 635 474 sales@maggi-technology.com



### **MAGGI TECHNOLOGY**

Via delle Regioni, 299 50052 Certaldo (Firenze) Italia